REVISION	!!							ENGINEERING	DATA LIS		* HISTORY *
)	DATA TECH:	SOH		ORG	ORGN SYMBOL	BOL:	7	ГССМРМ	PR NR :	APPLICATION: C-130	PAGE 1 OF 1
CAGE: MANUFACTURER NAI 98897 LOCKHEED MARTIN	MANUFACTURER NAME: LOCKHEED MARTIN						XEFER 388028	REFERENCE NR: 388028-19		NOUN : PISTON, LANDING GEAR	NSN: 1620014233708LE
CAGE DRAWING	DRAWING NUMBER		REV	NR NR FURN DIST SHEETS CARDS CODE CODE	NR 3 CARDS	FURN	DIST	NOUN		REQUIREMENTS	
98897 80C311		\	Σ	1000	0000	S		всо	REF. DW	DWG #388028 FOR ECO TRACEABILITY ONLY. NOT TO	NOT TO BE FURNISHED.
98897 0000162		_	Þ	1000	0000	s		всо	REF. DW	REF. DWG# 388028 FOR ECO TRACEABILITY ONLY. NOT TO BE FURNISHED.	BE FURNISHED.
							1				
							$\top$				
					$\perp$		$\dashv$				
		T	1				$\top$				
							_				
							T				
							1				
			H				$\square$				
STANDARD ENGINEERING TEXT	UNG TEXT										
ENGINEERING DATA LIST REMARKS	LIST REMARKS							FURNISHED	FURNISHED METHOD CODE LEGEND:	X - DATA SUPPLIED (NOT IN EDCARS).	G - GOV'T DOCUMENT.
								C - CLASS: S - FURNIS M - STABLA	DOCUMENT. WITH SOLICITATE SE DRAWING REQU	α Δ >	1 1
								חחיות דינוחיות	THE STATE OF THE PERSON S AND S. LEWIS CO., LANSING S. LEWIS CO., LANSING S. LEWIS CO., LANSING S. LEWIS CO.,		

## REQUIREMENTS DATA (1 Data Item)

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the government Issuing Contracting Officer for the Contract/PR No. in Block E.

A. CONTRACT LI	NE ITEM NO.	B. EXHIBIT A		C: CATEGORY: TI	ESTING AND I	NSPECTION OTHER_					
D. SYSTEM/ITEM PISTON, LAN	DING GEAR		TRACT/PF 020-01-2		F. CONTRAC	TOR			     		
1. DATA ITEM N	O. 2. TITLE OF DA	ATA ITEM			3. SUBTITL	Е				17.	PRICE GROUP
A001	TEST/INSPEC	CTION REPORTS			GOVERNM	ENT TESTING					
4. AUTHORITY (1 DI-NDTI-808	Data Acquisition I 09B/T	Document No.)	5. CONT	TRACT REFERENCE		6. REQUIRING OFFICE	3			18.	ESTIMATED TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT	T 10. FREQUEN	ICY 12	DATE OF FIRST	SUBMISSION	14. DISTRIBU	TION				
8. APP CODE N/A	REQUIRED		DATE 13	. DATE OF SUBSE(	QUENT SUBM.	a. ADDRESSEE	<u> </u>	•	IES nal—  repr		
16. REMARKS	<u>i</u>		i			OO-ALC/TIELV	<del> </del>	1	<del>  </del>		
(4) Contracto	or format acceptal	ble. Paragrap	oh 10.2	of DD Form 1664	ı is	7278 4TH STREET					
· · · · · · · · · · · · · · · · · · ·					BLDG 100, BAY D	1		<del>                                     </del>			
	one column with the thick		-	ing reading obta	ained from	HILL AFB UT	1	<del> </del>	<del>                                     </del>		
	s utilized in the d certified along					84056-5205		<del> </del>	<del>                                     </del>		
Material	applicable data processes includ:	ing finish red					<del> </del>	<del>                                     </del>			
ture of the f	inspections, anod: irst article will	be identified	d and ce	ertified as conf	forming to		<u> </u>		<del>  </del>		
processes acco	e requirements. A	r than contrac	ctor fac	cility shall be	included.	ļ		<del> </del>			
Other re (AFLC Form 37	equirements as cai 20).	lled out on Er	ngineeri	ing Data Require	ement			<del>                                     </del>			
Defense and D	TION STATEMENT D: OD contractors on this document sha	ly (Critical 7	Technolo	ogy)(15 Sept 95)				†   	    		
(12) Submit	concurrently with	First Article	<b>≜</b> .				1	-	+		
	-						<del>                                     </del>	<del> </del>	<del>                                     </del>	 	
							+	+		 	
								<del>                                     </del>	<del>                                     </del>		
FOB DESTINATION	ON							<del> </del>			
							1	<del>                                     </del>		!   	
										!   	
										1   	
alion of	10 D	ald:			1.	15. TOTAL	> 0	1	. 0	1   	
G. PREPARED BY CHRISTINA D	ODGE/LICS/DM	H.	DATE 6 APR (	I. APPROV	Lower	Mer Olev	J. DA	TE APR	01	 	

Previous editions are obsolete

DD Form 1423-1, JUN 90

## INSTRUCTIONS FOR COMPLETING DD FORM 1423

(See DoD 5010.12M for detailed instructions.)

## FOR GOVERNMENT PERSONNEL

- Item A. Self-explainatory.
- Item B. Self-explainatory.
- Item C. Mark (X) appropriate category: TDP Technical Data Package; TM Technical Manual; Other other category of data, such as 'Provisioning', 'Configuration Management', etc.
- Item D. Enter name of system/item being acquired that data will
- Item E. Self-explainatory (to be filled in after contract award).
- Item F. Self-explainatory (to be filled in after contract award).
- Item G. Signature of preparer.
- Item H. Date CDRL was prepared.
- Item I. Signature of CDRL approval authority.
- Item J. Date CDRL was approved.
- Item 1. See DoD FAR Supplement Subpart 4.71 for proper numbering.
- Item 2. Enter title as it appears on data acquisition document cited in Item 4.
- Item 3. Enter subtitle of data item for futher definition of data item (optional entry).
- Item 4. Enter Data Item Description (DID) number, military specification number, or military standard number listed in DoD 5010.12-L (AMSDL), or one-time DID number, that defines data content and format requirements.
- Item 5. Enter reference to tasking in contract that generates requirement for the data item (e.g. Statement of Work paragraph number).
- Item 6. Enter technical office responsible for ensuring adequacy of the data item.
- Item 7. Specify requirement for inspection/acceptance of the data item by the Government.
- Item 8. Specify requirement for approval of a draft before preparation of the final data item.
- Item 9. For technical data, specify requirement for contractor to mark the appropriate distribution statement on the data (ref DoDD 5230.24).
- Item 10. Specify number of times data items are to be delivered.
- Item 11. Specify as-of date of data item, when applicable.
- Item 12. Specify when first submittal is required.
- Item 13. Specify when subsequent submittals are required, when applicable.  $% \begin{center} \b$
- Item 14. Enter addresses and number of draft/final copies to be delivered to each addressee. Explain reproducible copies in Item 16.
- Item 15. Enter total number of draft/final copies to be delivered.
- Item 16. Use for additional/clarifying information for items 1 through 15. Examples are: Tailoring of documents cited in Item 4; Clarification of submittal dates in Items 12 and 13; Explanation of reproducible copies in Item 14; Desired medium for delivery of the data item.

## FOR THE CONTRACTOR

- Item 17. Specify appropriate price group from one of the following groups of effort in developing estimated prices for each data item listed on the DD Form 1423.
- a. Group I. Definition Data which is not otherwise essential to the contractor's performance of the primary contracted effort (production, development, testing and administration) but which is required by DD Form 1423.

Estimated Price - Costs to be included under Group I are those applicable to preparing and assembling the data item in conformance with Government requirements, and the administration and other expenses related to reproducing and delivering such data items to the Government.

b. Group II. Definition - Data which is essential to the performance of the primary contracted effort but the contractor is required to perform additional work to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, or quality of the data item.

Estimated Price - Costs to be included under Group II are those incurred over and above the cost of the essential data item without conforming to Government requirements, and the administrative and other expenses related to reproducing and delivering such data item to the Government.

c. Group III. Definition - Data which the contrator must develop for his internal use in performance of the primary contracted effort and does not require any substantial change to conform to Government requirements with regard to depth of content, format, frequency of submittal, preparation, control, and quality of the data item.

Estimated Price - Costs to be included under Group III are the administrative and other expenses related to reproducing and delivering such data item to the Government.

d. Group IV. Definition - Data which is developed by the contractor as part of his normal operating procedures and his effort in supplying these data to the Government is minimal.

Estimated Price - Group IV items should normally be shown on the DD Form 1423 at no cost.

Item 18. For each data item, enter an amount equal to that portion of the total price which is estimated to be attributable to the production or development for the Government of that item of data. These estimated data prices shall be developed only from those costs which will be incurred as a direct result of the requirement to supply data, over and above those costs which would otherwise be incurred in performance of the contract if no data were required. The estimated data prices shall not include any amount for rights in data. The Government's right to use data shall be governed by the pertinent provisions of the contract.

SPECIAL PACE	KAGING INSTRUC	CTION	CODE ID 98897	SPI NO.(TPO) 00-954-8000 SHEET 1 OF 3			
HRT OR DRAWING NO. 3880 74-1 ITEM NOME	**	CURRENT REV ORIGINAL DATE	ILL E.NYE CHK C.KLEEB ENGR F.LANDER AUTH R.ELBRAD	Enly & Sunk	elp .		
LEVEL A METHOD I LEVEL B METHOD I LEVEL C METHOD III  CLEANING C-5 DRYING D-1 PRESERVATIVE MIL-P- MARKING IAW MIL-STD-I SPECIAL MARKING:	-3 <b>420</b>	LEVEL A <b>MIL-B-</b> B <b>MIL-B-</b>	SPECIFIED BELOW A SPEC STYL 26195(M00) A 26195(M00) A 26195(M00) A LEVEL A T 16.8 LBS 148	ND BILL OF MAT LE TYPE CL II 1 I 1 LEVEL B 16.8 148	ERIALS VAR GR  LEVEL C 16.8 148 190 G. DEPTH 15 IN.		
SPINO. 00-954-800 MARK THE SPI NUMBER ON CONTAINER.	CTNR O.D. ITEM DIM ITEM WT LB	38½ IN. 33 IN. S 68	38½ IN. 32 IN.	20 IN. 9 IN.			
-NOTI CONSULT YOUR MICROF REFERENCE FILE TO D (TPO) IN EFFECT. (SEE	OR EQUAL ON 2. CORNER S	-P-3420, VPI, TYF   ALL CRITICAL S   TRAPS, -13, SHALL   DPTIONAL FOR LE	SURFACES. . BE USED FOI	R LEVEL A			
CLOSURE IN ACCORDANCE		SHIPMENTS. OPTIONAL FOR LEVEL B SHIPMENTS.  SOURCE OF SUPPLY FOR TORQUE WASHERS.					

SOURCE OF SUPPLY FOR TORQUE WASHERS, CATALOG NO. MS-98398: CARR FASTENER CO. 31 AMES ST. CAMBRIDGE MASS. 02142

		<del></del>			
-17	+	BOLTS, W/NUTS	% × 6	STEEL TYPE I, CL 1, STYLE A,	FF-B-584
-16	2	HEADERS	2 X 2 (NOM) X 36	THE LOCAL STILE H.	FF-B-304
-15	2	SKIDS	4 X 4 (NOM) X 38	LUMBER CL 2	1471 077 504
-14	1	BASE	36 X 36 X ½	T	MIL-STD-731
-13	20	CORNER STRAPS (SEE NOTE 2)	12 X 34 X .020	ON B	NN-P-530
-12		CHAFFING STRIPS	14 X 3	STEEL CL 1, TYPE I, REG DUTY, FIN A,	
-11	16	LAG BOLTS	1/4 × 21/2	PAPER TYPE I	PPP-P-115
-10	16	FLAT WASHERS	1/4	TYPE I, STYLE 1, GRADE C,	FF-B-561
-9	6	TORQUE WASHERS		TYPE A, GR I, CL B,	FF-W-92
-8	3	STRAPPING			MS-98398
-7	3	PRESERVATIVE	77	CLASS 1, TYPE I, HYY DUTY, FIN A,	
-6	6	WASHERS		BARRIER VPI, TYPE I, CLASS I, STYLE C	MIL-P-3420
-5	2		3/6	TYPE A, GR I, CL B	FF-W-92
-4	2	BOLT W/NUT	<b>¾</b>		
		BOLT W/NUT	¾ × 5		
<b>-</b>		BOLT W/NUT -	% × 8½	STEEL TYPE I, CL 1, STYLE A.	FF-B-584
		SADDLE	2 X 6 (NOM) X 12	1	·
-1	_2	SADDLE	2 X 4 (NOM) X 12	LUMBER CLASS 2	MIL-STD-731
PART NO.	QTY Reqd	NOMENCLATURE OR DESCRIPTION	SIZE	MATERIAL SPECIFICATION	14L 31D 73L


SPI NO. 00-954-8000


SPECIAL PACKAGING INSTRUCTION	CODE ID 98897	SPI NO.(TPO) <b>00-954-8000</b>
(CONTINUATION SHEET)  ITEM NOMENCLATURE  PISTON, C-130		SHEET 2 OF 3
-10 -10 -13 -13 -13 -13 -13 -13 -13 -13 -13 -13	-8	
	(-12) (-2) (-5)	-15


. . .

-

SPECIAL PACKAGING INSTRUCTION	CODE ID	SPI NO.(TPO)
(CONTINUATION SHEET)	98897	00-954-8000
ITEM NOMENCLATURE		SHEET 3 OF 3
PISTON, C-13Ø		STILL S OF S







POSITIONING OF BLOCKING ON CONTAINER BASE